




Gypsum lamp

Loving light and architecture,
melting them in the most creative solutions, looking for
the most advanced, lighting and technical



Code No.: GL501

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



310mm*310mm




MR16

GU10

MODULE




Angle



Code No.: GL502

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



ø 240mm




MR16

GU10

MODULE




Angle



Code No.: GL503



Power	MAX 20W		
Voltage	36V		
Current	500mA		
Angle	15°	24°	36°
Lumen	1856LM	1882LM	1897LM
CRI	90/98		
IP	20		
Installation	Embedded		




MODULE



Angle





Code No.: GL101-100


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16




GU10







MODULE



Honey Comb Spread Lens Solite Lens



Angle



Code No.: GL101-130


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16




GU10







MODULE



Honey Comb Spread Lens Solite Lens




Angle






Code No.: GL101-170

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			




Angle




Code No.: GL101-210

Power	MAX 30W	
Voltage	36V	
Current	700mA	
Angle	24°	36°
Lumen	2356LM	2372LM
CRI	90	
IP	20	
Installation	Embedded	




Angle




Code No.: GL101-250

Power	MAX 30W	
Voltage	36V	
Current	700mA	
Angle	24°	36°
Lumen	2356LM	2372LM
CRI	90	
IP	20	
Installation	Embedded	




Angle




Code No.: GL101S

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			





Angle






Code No.: GL102

Power	MAX 6W		
Voltage	36V		
Current	150mA		
Angle	15°	24°	36°
Lumen	456LM	472LM	486LM
CRI	90/98		
IP	20		
Installation	Embedded		



MR11






MODULE





Honey Comb Spread Lens Solite Lens

Angle



Code No.: GL103


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16



GU10







MODULE



Honey Comb Spread Lens Solite Lens



Angle





Code No.: GL103-2

Power	MAX 2*10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16





GU10

MODULE





Honey Comb Spread Lens Solite Lens

Angle



Code No.:GL103-3

Power	MAX 3*10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16





GU10

MODULE





Honey Comb Spread Lens Solite Lens

Angle



Code No.: GL104

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16





GU10

MODULE




Honey Comb Spread Lens Solite Lens

Angle



Code No.: GL104-2

Power	MAX 2*10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16





GU10

MODULE



Honey Comb Spread Lens Solite Lens


Angle






Code No.: GL201-200

Power	MAX 6W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded




Code No.: GL201-300

Power	MAX 10W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded



Code No.: GL201-600


Power	MAX 18W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded






Code No.: GL202-160

Power	MAX 7W
Voltage	36V
Current	200mA
Angle	110°
Lumen	516LM
CRI	90
IP	20
Installation	Embedded




Code No.: GL202-200

Power	MAX 10W
Voltage	36V
Current	250mA
Angle	110°
Lumen	836LM
CRI	90
IP	20
Installation	Embedded




Code No.: GL202-350


Power	MAX 20W
Voltage	36V
Current	500mA
Angle	110°
Lumen	1656LM
CRI	90
IP	20
Installation	Embedded



Code No.: GL202-430

Power	MAX 25W
Voltage	36V
Current	600mA
Angle	110°
Lumen	2023LM
CRI	90
IP	20
Installation	Embedded





Code No.: GL301


Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded




MR16



GU10



MODULE



Code No.:GL302S


Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded




MR16



GU10



MODULE



Code No.: GL302M


Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded





MR16



GU10




MODULE






Code No.: GL302L

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded




Code No.: GL303

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded




Code No.: GL304

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded



Code No.: GL305


Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded





Code No.: GL401-300


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



310mm*310mm




Angle



Code No.: GL401-400


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



410mm*410mm





Angle





Code No.: GL401-600

Power	MAX 20W		
Voltage	36V		
Current	500mA		
Angle	15°	24°	36°
Lumen	1856LM	1882LM	1897LM
CRI	90/98		
IP	20		
Installation	Embedded		



MODULE



Honey Comb






Spread Lens



Solite Lens


Angle





Code No.: GL601

Power	MAX 2*6W
Input	AC 220~240V
Light source	E14
CRI	90
IP	20
Installation	Embedded




Code No.: GL604S

Power	MAX 4W
Input	AC 220~240V
Light source	Mr11
CRI	90
IP	20
Installation	Embedded




MR11




Code No.:GL602

Power	MAX 6W
Input	AC 220~240V
Light source	E14
CRI	90
IP	20
Installation	Embedded




Code No.: GL604L

Power	MAX 4W
Input	AC 220~240V
Light source	G9
CRI	90
IP	20
Installation	Embedded



Code No.: GL603

Power	MAX 2*4W
Input	AC 220~240V
Light source	G9
CRI	90
IP	20
Installation	Embedded






Embedded




Code No.: GL701

Power	MAX 6W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded



Code No.: GL702

Power	MAX 10W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded






Surface mounted




Code No.: GL701M

Power	MAX 6W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Surface mounted



Code No.: GL702M


Power	MAX 10W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Surface mounted






Code No.: GLM02L

Power	MAX 2*4W
Input	AC 220~240V
Light source	G9*2
CRI	90
IP	20
Installation	Surface mounted




Code No.:GLM02S

Power	MAX 2*4W
Input	AC 220~240V
Light source	G9*2
CRI	90
IP	20
Installation	Surface mounted



Code No.: GLM03


Power	MAX 2*4W
Input	AC 220~240V
Light source	GU10*2
CRI	90
IP	20
Installation	Surface mounted






Code No.:GLM04S

Power	MAX 6W
Input	AC 220~240V
Light source	SMD
CRI	90
IP	20
Installation	Surface mounted




Code No.:GLM04L

Power	MAX 10W
Input	AC 220~240V
Light source	SMD
CRI	90
IP	20
Installation	Surface mounted



Code No.: GLM01

Power	MAX 4W
Input	AC 220~240V
Light source	G9
CRI	90
IP	20
Installation	Surface mounted






Code No.: GL801



Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded



MR11



MODULE



85mm*170mm




Code No.: GL802



Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded



MR11



MODULE



150mm*175mm